

**CATALOGUE** 

**REVISION** 

2.2

FOREIGN OBJECT RETRIEVAL TOOLS & GUIDE TUBES

## **III** VIZAAR INDUSTRIAL IMAGING AG


Contact



### **GERMANY**

viZaar industrial imaging AG Hechinger Straße 152 72461 Albstadt / Germany +49 7432 98375-0 +49 7432 98375-50







info@vizaar.com

## **WORLDWIDE**

Find your official viZaar trading and sales partner online: https://vizaar.de/en/vizaar-worldwide/





## Remote inspection & supporting tools solutions

	RETRIEVAL TOOLS	4
1.1	Retrieval tools kits	5
1.2	Motorized retrieval tool GR 8	11
1.3	Motorized retrieval tool GR 16	12
1.4	Non-motorized retrieval tools	13
1.5	Retrieval pliers	14
1.6	Accessory	16
2	GUIDE TUBES	20
2.1	Non-articulating guide tubes	21
2.2	Articulating guide tubes	21
3	SPECIAL RETRIEVAL TOOLS	22
3.1	Articulating guide tube GR 22 C with integrated camera and LED illumination	23
3.2	Retrieval snares with emergency release mechanism	23
3.3	Articulating guide tube GR 6 with gas nozzle	23
3.4	Pneumatic articulating guide tube system GR 10	24
3.5	Articulating guide tube GR 25 with 12 mm working channel	24
3.6	VUFLEX 2.4 with retrieval hook	24

<sup>©</sup> Copyright viZaar AG. Illustrations may differ from the original. Subject to technical modifications and errors. All rights reserved. All specifications are subject to change without notice due to technical progress.

## **1 RETRIEVAL TOOLS**



### 1.1 Retrieval tools kits



Retrieval tools kit **PRO** 

Incl	ud	ing:
------	----	------

- Motorized retrieval tool GR 8
- Motorized retrieval tool GR 16
- Stainless steel wire snare
- Retrieval magnets
- Hook tool
- Adjustable elbow
- LED flash light
- Tool set
- Accessory set
- Glass fiber push pole set
- Operating instructions

GR 8	GR 16	NON-MOTORIZED RETRIEVAL TOOLS	ACCESSORY SET	PUSH POLE SET	SYSTEM KIT
10 m	✓	✓	✓	✓	BMX-50-000231
15 m	✓	✓	✓	✓	BMX-50-000345

The PRO version is the most complete retrieval tools kit you will find, collected in a portable case. In addition to a full set of standard equipment, it contains two different sized electrical driven retrieval tools with four different grabber options.

MOTORIZED RETRIEVAL TOOL GR 8						
•	Motorized retrieval tool GR 8 Motorized and waterproof 8.4 mm retrieval tool with 10 m / 15 m working length	VXX-70-000104 VXX-70-000105				
	Interchangeable T-Rex grabber for GR 8 8.4 mm T-Rex grabber, including spare grub screws and allen key (FXX-70-000112)	BMX-50-000334				
•	Interchangeable Mouse Tooth grabber for GR 8 4.5 mm Mouse Tooth, including spare grub screws and allen key (FXX-70-000112)	BMX-50-000335				
	Remote control GR 8 Remote control for the retrieval tool GR 8	BMX-50-000256				
	<b>Batterie</b> 1x powerful spare battery Ultralite Lithium HI Energy 9-V Block	EXX-90-000106				
MOTORIZED RETRIEV	AL TOOL GR 16					
	Motorized retrieval tool GR 16 Motorized and waterproof 16 mm retrieval tool	BEM-30-000165				
	Remote control GR 16 Remote control for the retrieval tool GR 16	BMX-50-000249				
0	Cable for remote control GR 16 15 m cable for remote control retrieval tool GR 16	BEX-20-000113				
	<b>Battery</b> 2x powerful spare battery Ultralite Lithium HI Energy 9-V Block	EXX-90-000106				
THREE FINGER JO FO	R GR 16	BMX-50-000293				

THREE FINGER JO FO	BMX-50-000293	
1	Graber with tines for motorized retrieval tool GR 16. Including allen key (FXX-70-00011	2)
CTAINU ECC CTEEL MU		DMV 50 000445

STAINLESS STEEL WIF	ВІ	MX-50-000115	
	Diameter	2.5 mm	
	Length	15 m	
	Construction	Multi wire snare construction	
	Mounting	10 mm push pole adapter	
	Function	Offering big size loops	

Other configurations, spare parts and accessories are available in the following chapters.

### • 1.1 Retrieval tools kits

### PRO

### Including

RETRIEVAL HOOK		BMX-50-000117
	Function	Reinforced, sharp hook
	Mounting	10 mm push pole adapter
RETRIEVAL MAGNET, SMALL		BMX-50-000113
	Dimensions	Ø 16 x 40 mm
	Mounting	10 mm push pole adapter
	Function	Small size magnet for narrow applications
RETRIEVAL MAGNET, MEDIUM	1	BMX-50-000112
	Dimensions	Ø 20 x 40 mm
	Mounting	10 mm push pole adapter
	Function	Medium sized, but strong magnet for narrow applications
RETRIEVAL MAGNET, LARGE		BMX-50-000114
	Dimensions	Ø 24 x 45 mm
	Mounting	10 mm push pole adapter
	Function	Strong magnet for bigger items and larger amount metal chip collection.
ADJUSTABLE ELBOW		BMX-50-000106
	Angle	0° bis 90°
, i	Mounting	10 mm push pole adapter
	Function	Tool for better positioning of retrieval snares, magnets, hooks or retrieval tool GR 16
SHORT ROD PIECE 10 CM / 4"		FXX-71-000124
	Function	Optimized for operation with adjustable elbow (BMX-50-000106)
-	Mounting	10 mm push pole adapter
GLASS FIBER PUSH POLE SET		BMX-50-000292
	<b>3x Glass fiber push p</b> Easily connectable via	pole "soft", each 1,5 meter length 10 mm interconnector
	<b>3x Glass fiber push p</b> Easily connectable via	pole "medium", each 1,5 meter length 10 mm interconnector
The state of the s	<b>3x Glass fiber push p</b> Easily connectable via	pole "stiff", each 1,5 meter length 10 mm interconnector
SOFT BAG FOR GLASS FIBER P	USH POLES	FXX-82-000108
etetetetetetet	This soft bag stores up robust and easy to clear	to 15 of your connectable glass fiber push poles. The material is an.
TRANSPORT CASE		BWA 20 000330



### TRANSPORT CASE

BMX-50-000230



This robust case is home for retrieval tools and accessories. Light-weight, compact and splash water proof  $HPX^{\oplus}$  transport case for retrieval tools and accessories. Tailor made interior for perfect protection during transport and storage.

#### STANDARD TOOLS SET

BSX-90-000101



Screw driver set, wire cutter, LED power flash lamp, scissors; cutter and other usefull tools to fit and fill the retrieval tool case.

### RETRIEVAL TOOL CONSUMABLES

BSX-90-000100



Duct tape, cable binder and other useful consumables packed into practical tailored plastic containers to fill the retrieval tool box.

### **STANDARD**

### • 1.1 Retrieval tools kits



GR 8	GR 16	NON-MOTORIZED RETRIEVAL TOOLSW	ACCESSORY SET	PUSH POLE SET	SYSTEM KIT
10 m	_	✓	✓	✓	BMX-50-000268

The STANDARD version retrieval tools kit includes a collection of non-motorized retrieval tools, as well as the motorized retrieval tool GR 8 with two interchangeable grabbers.

The recommended optional GR 16 fits perfectly into the same case and upgrades the set to the PRO version.

#### Including:

- Motorized retrieval tool GR 8
- Stainless steel wire snare
- Retrieval magnets
- Retrieval hook
- Adjustable elbow
- LED flash light
- Tool set
- Disposables
- Glass fiber push pole set
- Operating instructions

MOTORIZED RETRIEVAL TOOL GR 8						
	Motorized retrieval tool GR 8 Motorized and waterproof 8.4 mm retrieval tool with 10 m / 15 m working length	VXX-70-000104 VXX-70-000105				
	Interchangeable T-Rex grabber for GR 8 8.4 mm T-Rex grabber, including spare grub screws and Allen key (FXX-70-000112.	BMX-50-000334				
3	Interchangeable Mouse Tooth grabber for GR 8 4.5 mm Mouse Tooth, including spare grub screws and Allen key (FXX-70-000112)	BMX-50-000335				
	Remote control GR 8 Remote control for the retrieval tool GR 8	BMX-50-000256				
	<b>Battery</b> 1x powerful spare battery Ultralite Lithium HI Energy 9-V Block	EXX-90-000106				

STAINLESS STEEL WIRE SNARE BMX-50-000115					
	Diameter	2.5 mm			
	Length	15 m			
	Construction	Multi wire snare construction			
	Mounting	10 mm push pole adapter			
	Function	Offering big size loops			
RETRIEVAL HOOK			BMX-50-000117		
	Function	Reinforced, sharp hook			
	Mounting	10 mm push pole adapter			

### • 1.1 Retrieval tools kits

### **STANDARD**

### Including

RETRIEVAL MAGNET, SMALL			BMX-50-000113
	Dimensions	Ø 16 x 40 mm	
	Mounting	10 mm push pole adapter	
	Function	Small size magnet for narrow applications	
RETRIEVAL MAGNET, MEDIUM			BMX-50-000112
	Dimensions	Ø 20 x 40 mm	
	Mounting	10 mm push pole adapter	
	Function	Medium sized, but strong magnet for narrow ap	plications
RETRIEVAL MAGNET, LARGE			BMX-50-000114
8 3	Dimensions	Ø 24 x 45 mm	
	Mounting	10 mm push pole adapter	
	Function	Strong magnet for bigger items and larger amou collection.	int metal chip
ADJUSTABLE ELBOW			BMX-50-000106
	Angle	0° bis 90°	
,	Mounting	10 mm push pole adapter	
	Function	Tool for better positioning of retrieval snares, maretrieval tool GR 16	agnets, hooks or
SHORT ROD PIECE 10 CM / 4"			FXX-71-000124
-	Function	Optimized for operation with adjustable elbow (I	BMX-50-000106)
	Mounting	10 mm push pole adapter	
GLASS FIBER PUSH POLE SET			BMX-50-000292
		h pole "soft", each 1.5 meter length ia 10 mm interconnector	
		h pole "medium", each 1.5 meter length ia 10 mm interconnector	
		h pole "stiff", each 1.5 meter length ia 10 mm interconnector	
SOFT BAG FOR GLASS FIBER PL	JSH POLES		FXX-82-000108
	This soft bag stores robust and easy to o	up to 15 of your connectable glass fiber push pole clean.	es. The material is
TRANSPORT CASE			BMX-50-000230
	splash water proof I	nome for retrieval tools and accessories. Light-weig -IPX® high performance transport case for retrieva perfect protection during transport and storage.	
STANDARD TOOLS SET			BSX-90-000101
	Screw driver set, wir to fit and fill the retr	e cutter, LED power flash lamp, scissors; cutter an ieval tool case.	d other usefull tools

#### RETRIEVAL TOOL CONSUMABLES

BSX-90-000100



Duct tape, cable binder and other useful consumables packed into practical tailored plastic containers to fill the retrieval tool box.

### **START**

### 1.1 Retrieval tools kits



GR 8	GR 16	NON-MOTORIZED RETRIEVAL TOOLS	ACCESSORY SET	PUSH POLE SET	SYSTEM KIT
-	_	✓	✓	✓	BMX-50-000269

The START retrieval tools kit offers the complete range of basic mechanical retrieval tools fitting seamless onto the extendable push rod poles. Practical accessories and hand tools support you and ensure that you are prepared and ready to go when the emergency pops up.

The recommended optional electrical retrieval tools GR 8 and GR 16 fit perfectly into the tailormade case and upgrade the system to the PRO version.

Diameter	2.5 mm	
Length	15 m	
Construction	Multi wire snare construction	
Mounting	10 mm push pole adapter	
Function	Offering big size loops	

Function

Mounting

RETRIEVAL MAGNET, SMALL	BMX-50-000113
Dimensions	Ø 16 x 40 mm
Mounting	10 mm push pole adapter
Function	Small size magnet for narrow applications

Reinforced, sharp hook

10 mm push pole adapter

RETRIEVAL MAGNET, MEDIUM BMX		BMX-50-000112
	Dimensions	Ø 20 x 40 mm
	Mounting	10 mm push pole adapter
	Function	Medium sized, but strong magnet for narrow applications


RETRIEVAL MAGNET, LARGE	:	BMX-50-000114
<u> </u>	Dimensions	Ø 24 x 45 mm
	Mounting	10 mm push pole adapter
	Function	Strong magnet for bigger items and larger amount metal chip collection.

### Including:

- Stainless steel wire snare
- Retrieval magnets
- Hook tool
- Adjustable elbow
- LED flash light
- Tool set
- Disposables
- Glass fiber push pole set
- Operating instructions

### 1.1 Retrieval tools kits

### Including



#### TRANSPORT CASE





This robust case is home for retrieval tools and accessories. Light-weight, compact and splash water proof HPX® transport case for retrieval tools. Product tailored interior for perfect protection during transport and storage.

BSX-90-000101



Screw driver set, wire cutter, LED power flash lamp, scissors; cutter and other usefull tools to fit and fill the retrieval tool case.

#### **RETRIEVAL TOOL CONSUMABLES**

BSX-90-000100



Duct tape, cable binder and other useful consumables packed into practical tailored plastic containers to fill the retrieval tool box.

### 1.2 Motorized retrieval tool GR 8



Motorized retrieval tool GR8

OUTER Ø	LENGTH	ITEM NO.
8.4 mm	10 m	VXX-70-000104
8.4 mm	15 m	VXX-70-000105
8.4 mm	20 m	VXX-70-000106
8.4 mm	30 m	VXX-70-000107

Transport case (BMX-50-000230), T-Rex grabber (BMX-50-000334) and Mouse Tooth grabber (BMX-50-000335) must be ordered seperately. The GR 8 is included in the Retrieval tools kits PRO and STANDARD.

#### Including:

- 2 m umbilical cable
- Remote control
- Lithium high power battery
- Storage box
- Operating instructions

The GR 8 is a motorized gripper, fixed and powered through a flexible and robust glass fiber push rod. It is designed to retrieve smaller and medium size items. Depending on the need, object shape and position, the jaw can be swapped from a 4.5 mm Mouse tooth gripper to a 8.4 mm T-Rex mouth gripper. Operated by remote control, the retrieval tool is battery powered. Avoid cable clutter with the smart storage push rod system with integrated power supply cords. Its push rod is stored in a practical box and provided in one working length, thus very useful in narrow surroundings. The GR 8 will perfectly fit into the retrieval tool case.

### Recommended accessory

- Transport case
- T-Rex grabber
- Mouse Tooth grabber

#### TRANSPORT CASE



This robust case is home for retrieval tools and accessories. Light-weight, compact and splash water proof HPX $^\circ$  transport case for retrieval tools. Product tailored interior for perfect protection during transport and storage.

INTERCHANGEABLE T-REX GRABBER FOR GR 8		BMX-50-000334
	Outer Ø (jaws closed)	8.4 mm
	Distal head length	125 mm
	Jaw range	70°   Space required to open jaws to maximum 16.8 mm
	Max. grab size	12.5 mm

INTERCHANGEABLE MOUSE TOOTH GRABBER FOR GR 8 BMX-50-0003.			BMX-50-000335
	Outer Ø (jaws closed)	8.4 mm   tapered to 4.5 mm at grabber head	
	Distal head length	108 mm   Grabber head 30 mm	
	Jaw range	70°   Space required to open jaws to maximum	m 32 mm
	Max. grab size	28 mm	

### Optional useful accessory

Articulating guide tubes

ARTICULATING GUID	E TUBE, 3 M		HVT-90-000148
	Outer Ø	22.0 mm	
	Length	3 m	
	Articulation	4 x 110°	
	Inner Ø	9.0 mm	
ARTICULATING GUID	E TUBE, 5 M		HVT-90-000149
ARTICULATING GUID	E TUBE, 5 M Outer Ø	22.0 mm	HVT-90-000149
ARTICULATING GUID	•	22.0 mm 5 m	HVT-90-000149
ARTICULATING GUID	Outer Ø		HVT-90-000149

BMX-50-000230

### 1.3 Motorized retrieval tool GR 16




Motorized retrieval tool **GR 16** 

OUTER Ø	CABLE LENGTH*	ITEM NO.
16 mm	15 m	BEM-30-000219

\* optionally available up to 30 m.

Transport case (BMX-50-000230) must be ordered separately.

The GR 16 is included in the Retrieval tools kit PRO.



The GR 16 is the workhorse of motorized retrieval tools. Medium size and larger objects are secure gripped and retrieved. Grabs are field interchangeable between an alligator style and a three finger grabber. The alligator mouth including four adjustable front fangs securing additional grip on the object. The viZaar® push rod quick connection system integrates seamlessly with the GR 16 to assist accurate positioning. The flexible push rods used in this system are available in a selection of different lengths and three grades of stiffness. Made of robust stainless steel, the GR 16 is robust, watertight and mobile, powered by two lithium ion batteries.

### Including:

- 15 m umbilical cable
- Remote control
- Battery
- Storage box
- Operating instructions
- Alligator Jaws

### Recommended accessory

- Transport case
- Three finger jaws
- Alligator jaws

#### TRANSPORT CASE



This robust case is home for retrieval tools and accessories. Light-weight, compact and splash water proof HPX® transport case for retrieval tools. Tailor made interior for perfect protection during transport and storage.

BMX-50-000230

INTERCHANGEABLE THREE FINGER JAWS FOR GR 16		R 16 BMX-50-000293
	Outer Ø (jaws closed)	16 mm
	Length	42 mm
	Jaw range	160°
	Max. grab size	77 mm   Space required to open jaws to maximum 84 mm
	Including	Allen key

INTERCHANGEABLE ALLIGATOR JAWS FOR GR 16		6 BMX-50-000335
	Outer Ø (jaws closed)	16 mm
) <u> </u>	Length	36 mm
	Jaw range	160°
	Max. grab size	77 mm   Space required to open jaws to maximum 84 mm
	Including	2 jaws and 4 adjustable fangs

### • 1.4 Non-motorized retrieval tools



STAINLESS STEEL W	IRE SNARE	BMX-50-000115
Diameter	2.5 mm	
Length	15 m	
Construction	Multi wire snare construction	
Mounting	10 mm push pole adapter	
Function	Offering big size loops	
Recommended	Glass fiber push pole soft / medium / stiff	

Stainless steel wire snare



RETRIEVAL HOOK	BMX-50-000117
Function	Reinforced, sharp hook
Mounting	10 mm push pole adapter
Recommended	Glass fiber push pole soft / medium / stiff



Retrieval magnet, small

RETRIEVAL MAGNET, SMA	LL BMX-50-000113
Dimensions	Ø 16 x 40 mm
Mounting	10 mm push pole adapter
Function	Small size magnet for narrow applications
Recommended	Flex rod 15 cm / 6" (FXX-71-000105) and glass fiber push pole soft / medium / stiff.



Retrieval magnet, medium

RETRIEVAL MAGNET, ME	DIUM BMX-50-000112
Dimensions	Ø 20 x 40 mm
Mounting	10 mm push pole adapter
Function	Medium sized, but strong magnet for narrow applications
Recommended	Flex rod 15 cm / 6" (FXX-71-000105) and glass fiber push pole soft / medium / stiff.




RETRIEVAL MAGN	T, LARGE BMX-50-000114
Dimensions	Ø 24 x 45 mm
Mounting	10 mm push pole adapter
Function	Strong magnet for bigger items and larger amount metal chip collection.
Recommended	Flex rod 15 cm / 6" (FXX-71-000105) and glass fiber push pole soft / medium / stiff.


### 1.5 Retrieval pliers



OUTER Ø	LENGTH	PLIERS	JAW RANGE	PLIER LENGTH	FITTING TO	ITEM NO.
1.65 mm	3.3 m	Alligator forceps	100°	10.2 mm	VUCAM® XO (3.3 m)	HSO-50-000100
1.65 mm	7.0 m	Alligator forceps	100°	10.2 mm	DE 2.4 / 4.0 VUCAM® XO (6.6 m)	HSO-50-000101
3.0 mm	2.2 m	Alligator forceps	90°	16.7 mm	VUCAM® XO (2.2 m) VISIO Sonden	HSO-50-000102
3.0 mm	3.3 m	Alligator forceps	90°	16.7 mm	VUCAM® XO (3.3 m) VISIO Sonden	HSO-50-000103
3.0 mm	6.6 m	Alligator forceps	90°	16.7 mm	VUCAM® XO (6.6 m) VUMAN® (5 m)	HSO-50-000104
3.0 mm	9.0 m	Alligator forceps	90°	16.7 mm	VUMAN® (8 m)	HSO-50-000105




OUTER Ø	LENGTH	PLIERS	JAW RANGE	PLIER LENGTH	FITTING TO	ITEM NO.
1.65 mm	3.3 m	Three pongs jaw	> 15 mm	36 mm	VUCAM® XO (3.3 m) GR 17 (3 m) GR 22 (3 m)	HSO-50-000106
1.65 mm	7.7 m	Three pongs jaw	> 15 mm	36 mm	DE 2.4 / 4.0 VUCAM® XO (6.6 m)	HSO-50-000107



Loro	LODIN	ho.		rot	PMI.	OVIOR
Fore	1211	111111	. I V			
	.0	~ ~ .	~ ,		61 1	

OUTER Ø	LENGTH	PLIERS	JAW RANGE	PLIER LENGTH	FITTING TO	ITEM NO.
6.0 mm	3.3 m	Foreign body retriever	> 30 mm	97.7 mm	VUCAM® XO (3.3 m) GR 17 (3 m) GR 22 (3 m)	HSO-50-000108
6.0 mm	7.0 m	Foreign body retriever	> 30 mm	97.7 mm	VUCAM® XO (6.6 m) VISIO Probes GR 17 GR 22	HSO-50-000109



Alligator forceps, cross serrated

OUTER Ø	LENGTH	PLIERS	JAW RANGE	PLIER LENGTH	FITTING TO	ITEM NO.
6.0 mm	3.3 m	Alligator forceps, cross serrated	Min. 85°	37.0 mm	VUCAM® XO (3.3 m) GR 17 (3 m) GR 22 (3 m)	HSO-50-000110
6.0 mm	7.0 m	Alligator forceps, cross serrated	Min. 85°	37.0 mm	VUCAM® XO (6.6 m) VISIO Probes GR 17 GR 22	HSO-50-000111



OUTER Ø	LENGTH	PLIERS	JAW RANGE	PLIER LENGTH	FITTING TO	ITEM NO.
6.0 mm	3.3 m	Rat tooth	Min. 85°	36.9 mm	VUCAM® XO (6.6 m) VISIO Probes GR 17 GR 22	HSO-50-000112
6.0 mm	7.0 m	Rat tooth	Min. 85°	37.0 mm	VUCAM® XO (6.6 m) VISIO Probes GR 17 GR 22	HSO-50-000113

In the medical world, tools like this are frequently used for keyhole operations and to remove foreign objects from the human body.

The following retrieval tools utilize the known advantages and have been adapted and improved for industrial applications. Small alligator forceps with spring mechanism, snares and three prong retriever offer good grip and high flexibility in industrial applications. The working length is adapted to typical industrial working lengths of industrial videoscopes like the VUCAM® XO.

## **■ 1 RETRIEVAL TOOLS**


## • 1.5 Retrieval pliers



OUTER Ø	LENGTH	ARTICULATION	PLIERS	CONSTRUCTION	ITEM-NO.
19.0 mm	3.3 m	4 x 110°	Alligator	Plastic	HSO-50-000114
19.0 mm	3.3 m	4 x 110°	Three finger grabber	Plastic	HSO-50-000115
19.0 mm	5.3 m	4 x 90°	Alligator	Plastic	HSO-50-000116
19.0 mm	5.3 m	4 x 90°	Three finger grabber	Plastic	HSO-50-000117




OUTER Ø	LENGTH	ARTICULATION	PLIERS	CONSTRUCTION	ITEM-NO.
22.0 mm	3.3 m	4 x 110°	Alligator	Stainless steel	HSO-50-000118
22.0 mm	3.3 m	4 x 110°	Three finger grabber	Stainless steel	HSO-50-000119
22.0 mm	5.3 m	4 x 90°	Alligator	Stainless steel	HSO-50-000121
22.0 mm	5.3 m	4 x 90°	Three finger grabber	Stainless steel	HSO-50-000121



Alligator jaws GR 16


SPARE ALLIGATOR JAWS FOR GR 16 BMX-50-		BMX-50-000386
Outer Ø (jaws closed)	16 mm	
Length	36 mm	
Jaw range	160°	
Max. grab size	77 mm   Space required to open jaws to maximum 84 mm.	
Including	2 Jaws and 4 adjustable fangs	



INTERCHANGEABLE THEREE FINGER JAWS FOR GR 16		BMX-50-000293
Outer Ø (jaws closed)	16 mm	
Length	42 mm	
Jaw range	160°	
Max. grab size	77 mm   Space required to open jaws to maximum 84 mm	
Including	Allen key	



INTERCHANGEABLE T-REX GRABBER FOR GR 8		BMX-50-000334
Outer Ø (jaws closed)	8.4 mm	
Length	55 mm	
Jaw range	70°	
Max. grab size	28 mm   Space required to open jaws to maximum 32 mm	
Including	Allen key and spare grub screws	



INTERCHANGEABLE MOUSE TOOTH GRABBER FOR GR 8		BMX-50-000335
Outer Ø (jaws closed)	8.4 mm   Tapered to 4.5 mm at gripping head	
Length	38 mm	
Jaw range	70°	
Max. grab size	12.5 mm   Space required to open jaws to maximum 16.8 mm	
Including	Allen key and spare grub screws	



TRANSPORT CASE

 $This \ robust \ case \ is \ home \ for \ retrieval \ tools \ and \ accessories. \ Light-weight, \ compact \ and \ splash \ water \ proof \ HPX^{\tiny \odot} \ transport \ case \ for \ proof \ proo$ retrieval tools. Tailor made interior for perfect protection during transport and storage.

BMX-50-000230



Glass fiber push pole, soft

GLASS FIBER PUSH	POLE, SOFT	FXX-71-000100
Diameter	6.0 mm	
Construction	PE coated glass fiber push pole	
Length	1.5 m	
Mounting	10 mm stainless steel quick coupling	



Glass fiber push pole, medium

GLASS FIBER PUSH	POLE, MEDIUM	FXX-71-000101
Diameter	7.5 mm	
Construction	PE coated glass fiber push pole	
Length	1.5 m	
Mounting	10 mm stainless steel quick coupling	



Glass fiber push pole, stiff

GLASS FIBER PUSH	POLE, STIFF	FXX-71-000102
Diameter	9.0 mm	
Construction	PE coated glass fiber push pole	
Length	1.5 m	
Mounting	10 mm stainless steel quick coupling	



Soft bag

### SOFT BAG FOR GLASS FIBER PUSH POLES

FXX-82-000108

This soft bag stores up to 15 of your connectable glass fiber push poles. The material is robust and easy to clean.



ADJUSTABLE ELBOW	BMX-50-000106
Angle	0° to 90°
Mounting	10 mm push pole adapter
Function	Tool for better positioning of retrieval snares, magnets, hooks or retrieval tool GR 16



Short rod piece

LENGTH	FUNCTION	MOUNTING	ITEM NO.
100 mm	Optimized for operation with adjustable elbow (BMX-50-000106)	10 mm push pole adapter	FXX-71-000124
250 mm	Optimized for operation with adjustable elbow (BMX-50-000106)	10 mm push pole adapter	FXX-71-000125



Flex rod

FLEX ROD 15 CM / 6"	FXX-71-000105
Length	150 mm
Mounting	10 mm push pole adapter
Function	Flexible rubber push pole adapter. Recommended for operation of magnets in steel piping.



Umbilical cable GR 16

LENGTH	ITEM NO.
15 m	BEX-20-000113
20 m	BEX-20-000114
30 m	BEX-20-000115



Remote control GR 8

REMOTE CONTROL GR 8	BMX-50-000256
Remote control for the retrieval tool GR 8	



Remote control GR 16

REMOTE CONTROL GR 16	BMX-50-000249
Remote control for the retrieval tool GR 16	



SPARE BATTERY

Powerful spare battery Ultralite Lithium HI Energy 9-V Block. Two batteries required for GR 16, one battery required for GR 8.

EXX-91-000106

### **ACCESSORY**



Tool set

#### STANDARD TOOLS SET BSX-90-000101

 $Screw\ driver\ set,\ wire\ cutter,\ LED\ power\ flash\ lamp,\ scissors;\ cutter\ and\ other\ usefull\ tools\ to\ fit\ and\ fill\ the\ retrieval\ tool\ case.$ 



Consumables

#### RETRIEVAL TOOL CONSUMABLES

BSX-90-000100

Duct tape, cable binder and other useful consumables packed into practical tailored plastic containers to fill the retrieval tool box.

## **2 GUIDE TUBES**

• Non-articulating and articulating guide tubes



Guide tubes are essential help to introduce, orientate and position inspection equipment and retrieval tools. The offered range includes simple rigid-, semi-flexible- or flexible guide tubes with working channel and remote articulation mechanism.

These multi-functional tools assist the video probe and retrieval tools during foreign objects search and retrieval operations. They too are used to clean debris or shaving. Guide tubes are utilized to suck in or blow out foreign objects. In some cases, they deliver and position flexible shaft drives allowing remote grinding, cutting or torque tool operation.

### 2.1 Non-articulating guide tubes



Guide tubes

Guide tubes are designed to assist flexible probes during difficult/complex inspections or to ensure that the probe reaches a defined location. Rigid and flexible guide tubes are used in various situations to protect video probes from wear, to insert them into the application in hard-to-reach places, and to position the probes optimally.

OUTER Ø	FOR PROBES WITH Ø	LENGTH	CONSTRUCTION	FOR PRODUCTS	ITEM-NO.
8 mm	4.0 mm	200 mm 400 mm 600 mm 800 mm	Semi Rigid	VISIO and VUCAM® probes	HVT-90-000157 HVT-90-000158 HVT-90-000159 HVT-90-000160
12 mm	6 mm	200 mm 400 mm 600 mm 800 mm	Semi Rigid	VISIO and VUCAM® Probes	HVT-90-000-161 HVT-90-000-162 HVT-90-000-163 HVT-90-000-164
15 mm	8.4 mm	200 mm 400 mm 600 mm 800 mm	Semi Rigid	VUMAN® Probes	HVT-90-000165 HVT-90-000166 HVT-90-000167 HVT-90-000168
6 mm	4 mm	200 mm 400 mm 600 mm 800 mm	Rigid	VUMAN® Probes	HVT-90-000169 HVT-90-000170 HVT-90-000171 HVT-90-000172
8 mm	6 mm	200 mm 400 mm 600 mm 800 mm	Rigid	VUMAN® Probes	HVT-90-000173 HVT-90-000174 HVT-90-000175 HVT-90-000176
10 mm	8.4 mm	200 mm 400 mm 600 mm 800 mm	Rigid	VUMAN® Probes	HVT-90-000152 HVT-90-000153 HVT-90-000154 HVT-90-000155

#### **ARTICULATING GUIDE TUBES** 2.2



**Articulating** guide tubes

Including:


Transport case

OUTER Ø	INNER Ø	LENGTH	ARTICULATION	FITTING PROBE Ø	MATERIAL	ITEM NO.
19.0 mm	6.3 mm	3 m	4 x 110°	6.0 mm	Plastic	HVT-90-000150
19.0 mm	6.3 mm	5 m	4 x 90°	6.0 mm	Plastic	HVT-90-000151
22.0 mm	9.0 mm	3 m	4 x 110°	9.0 mm	Stainless steel	HVT-90-000148
22.0 mm	9.0 mm	5 m	4 x 90°	9.0 mm	Stainless steel	HVT-90-000149

This articulating guide tubes provide four way articulation. The integrated working channel passes flexible endoscopes and retrieval tools with a maximum outer diameter of 6 mm and 9.0 mm. Available in different diameters and working lengths, the outer sheath is made of cut resistant stainless steel or an additional shrink tube. Two solid steering knobs allow the remote articulation of the distal head together with the inserted tool or camera. The user can move the tools axial inside the tube, offering an additional axis to reach out with the grabber or adding an additional lift and rotating axis to your inspection camera. Sometimes, this is the only possibility to reach the point of interest. The articulating guide tube with 19 mm diameter supports the videoscope VUCAM® XO, video endoscope VUMAN® and visio probes up to 6 mm diameter for search applications. The articulating guide tube with 22 mm diameter fits the field installable, motorized retrieval tool GR 8 and also supports the videoscope VUCAM® XO, video endoscope VUMAN® and VISIO probes up to 8 mm diameter for search applications.

## **3 SPECIAL RETRIEVAL TOOLS**

Custom made FOSAR solutions



Although we offer a big range of search and retrieval tools, sometimes the standard will not do the job. In the following chapter, we list some examples of our knowledge and expertise for successful custom made FOSAR solutions. Fortunately, some retrieval jobs are simple, fast and inexpensive. In certain cases, a complex task requires all our effort and resources.

In the end, all listed solutions solved problems saved our customers shutdown time and a lot of money. Fortunately, we can draw for your solution from a huge range of products, capabilities and experience. Feel free to contact us.

## **国 3 SPECIAL RETRIEVAL TOOLS**

3.1 GR 22 C 3.1 **GR 22 C** 



with integrated camera and LED illumination

OUTER Ø	LENGTH	ARTICULATION	INNER Ø	FITTING PROBE Ø
22.0 mm	3 m	4 x 110°	9.0 mm	9.0 mm
22.0 mm	5 m	4 × 90°	9.0 mm	9.0 mm

This sophisticated foreign object search and retrieval tool offers the same capabilities as the standard articulating guide tube GR 22 C. With its small integrated camera system and integrated LED illumination, search and retrieval jobs are performed fast and secure.

Utilizing the 15 mm retrieval pliers or the motorized retrieval tool GR 8, this system enables precise manoeuvring to find, monitor and retrieve the object immediately.

### **RETRIEVAL SNARE**



#### RETRIEVAL SNARE WITH EMERGENCY RELEASE MECHANISM

This remotely operated retrieval snare provides a special release mechanism and is positioned with an articulating guide tube. The chosen snare type ensures maximum pull strength.

If the part to retrieve would get stuck with the snare inside the application, the entire operation would be in danger. Therefore, a safety mechanism was integrated allowing the operator to remotely open up the snare. This solution results in pulling out only one string, thus allowing to reconnect attempt a new foreign object retrieval.


> 3.3 GR 6



### ARTICULATING GUIDE TUBE GR 6 WITH WORKING CHANNEL AND GAS NOZZLE

This guide tube system with only 6 mm outer diameter contains a working channel allowing a micro tool or fiber bundle for a laser operation to pass. A special air/gas blow system can be connected and a true gas nozzle at the tip the tool can be cooled down, a specific protective gas environment can be created or simply air blown.

3.4 GR 10 **GR 10** 



GR 10 - pneumatically articulated guide tube system

#### JOYSTICK CONTROLLED, PNEUMATIC ARTICULATING GUIDE TUBE SYSTEM GR 10

Combined with the video endoscope system VUMAN® X-WAY, this remotely pneumatic articulating system is winded up and down from the patented drum reel. This system is mainly operated and utilized for foreign object retrieval, released vertically down from a scaffold or operation bridge. The GR 10 is capable of underwater operation and provides working lengths up to 30 m.



GR 25 - articulating guide tube

**GR 25** 

#### ARTICULATING GUIDE TUBE GR 25 WITH EXTRA-LARGE 12 MM WORKING CHANNEL

The GR 25 guide tubes key benefit is the articulation capability and the large 12 mm working channel. This feature allows passing through and remotely positioning strong flexible drive shafts for remote cutting, grinding opening, closing screws and other torque related tooling work. The large 12 mm working channel is also very well suited for sucking in bigger amounts of shavings and waste materials.



**VUFLEX 2.4** 

### **VUFLEX 2.4 WITH RETRIEVAL HOOK, WORKING CHANNEL FOR MICRO RETRIEVAL TOOLS**

 $The \, VUFLEX\, 2.4\, is\, a\, special \, probe, only\, 2.4\, mm\, flat, integrating\, a\, retrieval\, hook\, in\, the\, distal\, head\, construction\, and\, a\, working\, channel\, above the construction\, and\, a\, working\, channel\, channel$ inside the insertion belt. This solution has entered the secondary side of steam generators traveling in between the tube bundles. It helped to inspect and locate foreign objects, cut to big parts and retrieve foreign debris. This operation has restored safe operation conditions of steam generators, thus saving time and costs.

3.6

# XPANDING YOUR V



#### viZaar industrial imaging AG

Headquarter Hechinger Straße 152 72461 Albstadt / Germany Tel.: +49 7432 98375-0 Fax: +49 7432 98375-50 info@vizaar.com

#### viZaar industrial imaging AG

VT Service / Rental Service / Sales / Training Center Lupusstraße 17 35789 Weilmünster-Wolfenhausen / Germany Tel.: +49 6475 91129-0 Fax: +49 6475 91129-29

#### viZaar industrial imaging AG

Branch Office Norddeutschland Hasklintweg 8 29339 Wathlingen / Germany Tel.: +49 170 5703130 Fax: +49 6475 91129-29

#### **OUR SALES AND SERVICE OFFICES**

#### viZaar NRW

Sales and Service Office 46348 Raesfeld / Germany Tel.: +49 170 5703130

#### viZaar Küste/Maritim

Sales and Service Office 25361 Krempe / Germany Tel.: +49 171 5524094

#### viZaar Süd

Service- und Vertriebsbüro 88171 Weiler-Simmerberg / Germany Tel.: +49 172 6019601



#### viZaar industrial imaging SA

3 rue Lambert Parc Lavoisier 91410 Dourdan / France Tel.: +33 1608 11818 Fax: +33 1645 99573 www.vizaar.fr info@vizaar.fr

